

MATERIAL SAFETY DATA SHEET

SECTION 1 - MATERIAL IDENTIFICATION AND USE				Flammability	1
Material Name/Identifier WATER COOLER BOTTLE CLEANER				Reactivity	1
Manufactures Name Prairie West Industrial		Suppliers Name PRAIRIE WEST INDUSTRIAL		Health	1
Street Address 35 BOYS ROAD		Street Address 35 BOYS ROAD		Personal Protection	1
City WINNIPEG	Province MANITOBA	City WINNIPEG	Province MANITOBA		
Postal Code R2C 2Z2	Emergency Telephone No. 1-613-996-6666	Postal Code R2C 2Z2	Emergency Telephone No. 1-613-996-6666		
Chemical Name MIXTURE	Chemical Family SURFACTANT		Chemical Formula N/A		
Molecular Weight MIXTURE (N/A)	Trade Names & Synonyms PROP.		Material use HARD SURFACE CLEANING, MICROBIAL DISINFECTION, DEODORIZING+J15		

SECTION 2 - HAZARDOUS INGREDIENTS OF MATERIAL				
Hazardous Ingredients	Approximate Concentration	C.A.S.N.A or U.N. Numbers	"Exposure Limits"	LD50 / LC50 Specify Species & Route
SODIUM CARBONATE	0-10%	497-19-8	N/A	N/A
TRISODIUM PHOSPHATE	1-5%	10101-89-0	N/A	N/A
SODIUM DICHLOROISOCYANURATE	0-1%	N/A	N/A	N/A

SECTION 3 - PHYSICAL DATA FOR MATERIAL				
Physical State	Odor and Appearance		odor Threshold (p.p.m.)	Specific Gravity
LIQUID	Clear		100 P.P.M.	0.9 TO 1.2
Vapor Pressure	Vapor Density (Air = 1)	Evaporation Rate	Boiling Point	Freezing Point
18.0 MM.Hg	N/A	N/A	+70.0 C	"-0.0 C
Solubility in water	% Volatile (by volume)	pH	Density (g/ml)	Coefficient of Water / Oil Distribution
COMPLETE	90.0 TO 99.0	10	0.9 TO 1.2	N/A

SECTION 4 - FIRE AND EXPLOSION HAZARD OF MATERIAL				
Flammability	If Yes, under what conditions			
NO	N/A			
Means Of Extinction				
N/A				
Special Procedures				
N/A				
Flashpoint and Method	Upper Explosion Limit (% by volume)	Lower Explosion Limit (% by volume)		
N/A	N/A	N/A		
Auto Ignition Temperature	TDG Flammability Classification	Hazardous Combustion Products		
N/A	0	CARBON DIOXIDE, MONOXIDE		
Sensitivity to Physical Impact	Rate of Burning	Explosive Power	Sensitivity to Static discharge	
NIL	BURNS ONLY AFTER THE WATER HAS BEEN EVAPORATED OUT. THEN BURNS SLOWLY+B56	NIL	NIL	

SECTION 5 - REACTIVITY DATA	
Chemical Stability	If No under which conditions ?
YES	N/A
Incompatibility to other substances	If so which ones ?
YES	SODIUM HYPOCHLORITE(household bleach)
Reactivity and under what conditions	
YES	WITH ANY CHEMICAL WHICH WILL OXIDIZE WITH FREE CHLORINE PRESENT
Hazardous Decomposition Products	
NO	

Material Name/Identifier	WATER COOLER BOTTLE CLEANER	Reactivity	1
--------------------------	-----------------------------	------------	---

SECTION 6 - TOXICOLOGICAL PROPERTIES OF PRODUCT

Route of Entry	<input checked="" type="checkbox"/> Skin Contact	<input type="checkbox"/> Skin Absorption	<input checked="" type="checkbox"/> Eye Contact	<input type="checkbox"/> Inhalation Acute	<input type="checkbox"/> Inhalation Chronic	<input checked="" type="checkbox"/> Ingestion
Effects of Acute Exposure to Product	DRYING OF TISSUE,					
Effects of Chronic Exposure to Product	CRACKED AND DRIED OUT SKIN, RED EYES,					
LD50 of Product (Specify Species and Route)	N/A	Irritancy of Product			Exposure Limits of Product	N/A
LC50 of Product (Specify Species)	N/A	Sensitization to Product			Synergistic Materials	CHLORINE BLEACHS,
<input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Reproductive Effects <input type="checkbox"/> Teratogenicity <input type="checkbox"/> Mutagenicity						

SECTION 7 - PREVENTIVE MEASURES

Personal Protective Equipment			
Gloves (Specify)	WATER RESISTANT	Respiratory (Specify)	Eye (Specify)
Clothing (Specify)	REGULAR INDUSTRIAL	N/A	SPLASH GUARDS
Footwear (Specify)	REGULAR INDUSTRIAL		
Engineering Controls (e.g. ventilation, enclose process, specify)			
Leak and Spill Procedure	MOP UP AND DILUTE INTO SEWER SYSTEM		
Waste Disposal	DILUTE AND SEWER, FOLLOWING ALL PERTINENT GOVERNMENT REGULATIONS		
Handling Procedures and Equipment	NO SPECIAL REQUIREMENTS		
Storage Equipment	NO SPECIAL REQUIREMENTS		
Special Shipping Information	NONE		

SECTION 8 - FIRST AID MEASURES

Skin	WASH TILL CLEAN
Eye	USE EYE WASH STATION/BOTTLE UNTIL THE EYE IS NOLONGER IRRITATED
Inhalation	NOT A PROBLEM
Ingestion	TAKE TO HOSPITAL
General Advise	#NAME?

SECTION 9 - PREPARATION DATE OF M.S.D.S.

Additional Comments	WHILE THE COMPANY BELIEVES THE DATA SET FORTH HEREIN ARE ACCURATE AS OF THE DATE HEREOF, THE COMPANY MAKES NO WARRANTY WITH RESPECT THERETO AND EXPRESSLY DISCLAIMS ALL LIABILITY FOR RELIANCE THEREON. SUCH DATA ARE OFFERED SOLRLY FOR YOUR CONSIDERATION,INVESTIGATION AND VERIFICATION		
Sources Used	COMPONENT MSDS, MERCK INDEX, SOAPS AND DETERGENTS		
Prepared By	Phone Number	Fax Number	Date
T.SCHWARTZ	204-224-1890	204-224-1891	November 24, 2006

D.N.A.= DOES NOT APPLY